Send completed measuring form to quotes@poolcoversdirect.com or fax to 312-256-2096

POOL COVERS DIRECT

SAFETY COVERS MEASURING AND ORDERING FORM

Company Name

Pool Covers Direct

Order

Estimate

<u> </u>	Littracc		
	SPACING ☐ 5′ x 5′ ☐ 3′ x 3′	□ Concrete□ Wood Deck□ Lawn/Brick	Is it abrasive? Y □ N □ Type:
	PLEASE PROVIDE		MENSIONS BELOW
Name			G
Address			H
City State	Zip	E	l
Phone # Fax #		F	J
Email:			
RECTANGLE	GRECIAN C=G+E+G D=H+F+H	→ G	OVAL
D D	D	J F	$ \begin{array}{c c} \hline & C \\ \hline & D \\ \hline & E \end{array} $
ROMAN $C = G + E + G$ $D = H + F + H$ G G	LAZY L Indicate Left or Right "bend": to shallow end - Lazy L Right: C D		TRUE L F G H E
E	E H	1	С

THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED

ADDITIONAL REQUIRED INFORMATION

12. Raised wall or Raised Bond Beam:

Pt# to Pt#

Please submit labelled photos for pools with complex features!

Cutouts may be required if objects are within 18" of pool.

corners of open spillway.

Please provide A-B dimensions to locate object. Give A-B dimensions at beginning of wall, as well as along wall to end of wall. Height?_____ All non-removable obstacles. 13. Waterfall or Rock Formation: Pt# to Pt# 1. Grabrails: Pt# to Pt# Distance rails are set back from pool _____ Furnish points at beginning, middle, end of formation. Always use approximate 1' intervals between points. Pt# to Pt# 2. Handrails: Distance rails extend into pool 14. Varying Deck Levels: Pt# to Pt# step 1: Pt# to Pt# 3. Ladders: A-B dimensions require indicating angle of the deck **Ladder Cups** from pool wall, out onto deck. Height?_____ (if cutout needed) Pt# to Pt# Pt#_____to Pt#____ step 2: How far does ladder extend into pool? _____ step 3: Pt#_____to Pt#____ 15 Wood Deck: Yes ______No _____ Pt# 4. Fillspout: Dimensions & distance from pool: _____ Are wood deck anchor flanges required Yes No How high if raised? _____ Indicate partial wood deck areas: Pt# to Pt# Pt# to Pt# Dive Stand: 16. Commercial Pool: 6. Slide Legs: Skimmer Pt# to Pt# (within 2 ft) Gutter_____ Distance legs are back from pool _____ If gutter pool, _____ indicate dimension of gutter _____ Pt#____to Pt#____ 7. Dive Rocks: *Covers over 2000 sq. ft. must be made in 3x3 sections. Distance back from pool Give several points along rock, (left side, front side, Additional Requirements right side) Pt#____to Pt#____ 8. Grab Rocks: Distance back from pool _____ Type and width of coping: _____ and ____ 10. Planter or grass area: Pt#_____to Pt#____ Pt#____to Pt#____ 11. Spa: Separate cover required Yes ______No _____ How high is spa? Is spa wall flush with top of coping? Yes ____ No ____ Yes _____ No _____ Open Spillway: If yes: To locate spillway Pt# to Pt# Give points all around spa and points at all four

PLEASE PROVIDE MEASUREMENTS IN FEET AND INCHES package pool brand GUNITE **POOL TYPE** VINYL OTHER Overall length______, from point ______ to point _____ (longest point). Overall width ______, from point _____ to point _____ (widest point). Additional cross dimensions: Pt# ______ to Pt# _____, Pt# _____ to Pt# = _____, Pt# _____ to Pt#=____. * The distance between A and B is ______ Show A B in relation to the pool (on sketch) * Indicate areas where the deck is less than 4' from waterline of the pool ______ No. В No. No. Α В No. В No. В 17 ____ 49 ___ 65 ____ 1 ____ 33 ___ 2 ___ 18 ___ 34 ___ 50 ___ 19___ 51 ___ 3 ___ 52 4 ___ 20 21 ___ 37 ___ 53 ___ 5 ___ 38 ___ 54 ___ 70 22 ___ 6 ___ 7 ___ 55 ___ 71 ___ 24 ___ 72 8___ 40 56 ___ 9___ 25 ___ 41___ 57___ 73 10___ 26 42 58___ 74____ 27 ___ 43 ___ 59 ___ 75 ___ 11___ 28 ___ 76 ____ 12___ 44 ___ 60 ___ 77 ___ 13___ 45 61___ 14 ___ 30 ___ 46 ___ 62 ___ 78 ___

PLEASE PROVIDE MEASUREMENTS IN FEET AND INCHES PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE

63 ___

64

79 ___

80

47 ___


48

15 ___

16

31 ____

32



A-B line or extensions of, cannot intersect pool; "A" must be left of "B"; number all points in clockwise direction

A-B MEASURING INSTRUCTIONS

PLEASE PROVIDE MEASUREMENTS IN FEET AND INCHES

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1'to 2'intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

PLEASE PROVIDE MEASUREMENTS IN FEET AND INCHES

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.

